Model:LS-4GS06



Low power solar 4G bullet camera



Key Features:

- 1. No need for external electricity, solar power generation and built-in lithium battery power supply;
- 2. No need to connect the network cable, built-in 4G module, support 4G frequency band selection in different countries:
- 3. Microwave motion detection technology: Actively detection in 0.6S, Fast, longer and wider range detection, Not affected by environment, temperature and reflect light.
- 4. Remote viewing by mobile APP (Mycam);
- 5. Human body movement triggers alarm and video recording;
- 6. Local storage, cloud storage;
- 7. The installation is simple, install by yourself, no need to hire professional construction personnel;

Application scenarios:

Doors of homes, yards, fish ponds, orchards, farms, mines, construction sites, and all places where electricity and wiring are not convenient.



Specification:

model:	LS-4GS06
color:	white
Material	Metal
Induction principle:	HMD (Human Motion Detection-microwave)
CPU:	T21Z/T31Z
Sensor:	F23/2063 2mp 1/2.7" CMOS
4G module:	Qualcomm SIM7600 Series/V3E
4G frequency:	4G for APN/Euro/USA/Japan etc options
Network:	TCP/IP , HTTP , TCP , UDP , SMTP , DHCP , DNS , P2P
SIM card:	support
Resolution	2.0MP
Image size :	1920*1080
Video compressed format:	H.265
Lens	4mm
Detection time:	0.6S
Detection distance	12m
Detection angle:	120°
Battery type :	18650 Li-ion battery
Battery Qty:	Built in 4pcs,2600mAh/pcs
battery capcity:	10400mAh
Solar panel power:	5.5W (5.5V/1000mA)
Max Charge Current :	1000mA
Night vision mode	starlight colorful and white&black combine
Night vision distance	15M
White light power:	1.5W LED 0.75W*2
Infrared power:	1W LED 0.5W*2
Storage:	Support TF Card max 128GB



Quality Innovation	/11
Working temperature:	-10°C to 65°C
Working humidity:	0%-90%RH
Power supply:	solar + battery
Stand-by power consumption:	around 0.05W
Work power consumption:	daytime≤2W, night version ≤2.75W
Waterproof	IP66
Accessories:	camera*1、braket*1、scew pack*1、manual*1、USB cable、Tweezers
optional accessory:	external solar panel, extension cable
CAM size:	235mm*240mm*115mm
CAM weight:	1.4kg
Gift box size:	262*136*275mm
G.W/PCS:	1.9kg
Carton size:	695x535×295mm
G.W/CTN:	21kg
Qty/CTN:	10pcs /case